

## IQ Product Portfolio



call us on **020 8500 2121** or click [www.unique-group.com](http://www.unique-group.com) or email: [sales@unique-group.co.uk](mailto:sales@unique-group.co.uk)

---

# Our Credentials, Certificates and Awards...

<i>Description</i>	<i>Accreditation</i>	<i>Certified</i>
<b>Quality System</b>	ISO 9001	Certified 2008 Cert No. 20083318
<b>Environmental Standard</b>	ISO14001	Certified 2010 Cert No. 20103549
<b>FIRA Testing</b>	Dimensions  Strength, Stability & Ergonomics  Wire Management	BS EN 527: 2000 Part 1 BS EN 527:2 (2002) BS EN 527:3 (2003)  BS 6396: (2008)
<b>Sustainable Resources</b> Chain of custody No: TT-COC-003363	FSC	Certified 2010
<b>Sustainable Resources</b> Chain of custody No: BMT-PEFC-0938	PEFC	Certified 2010

*All UK manufactured*



*“ We pride ourselves on the quality of our workmanship, service and total commitment to the complete satisfaction of our customers ”*

*All UK manufactured*



Company Information .....	1
IQ Squared Bench - Back to Back .....	3
IQ Squared Bench - Single Sided .....	5
IQ Bench - Back to Back .....	7
IQ Bench - Single Sided .....	9
Beam Desking .....	11
Height Adjustable Desking .....	13
Cantilever Desking .....	15
Panel Desking .....	17
Options and Accessories .....	19
Monitor Arms, CPU Holders and Power .....	20
Screens .....	21
Gallery/Case Studies .....	23
Storage .....	33
Colour Range .....	36
Chairs and Seating .....	38
Meeting and Boardroom Tables .....	44
Receptions and Counters .....	46
Space Planning .....	47

contents

## ■ Complete Project Management Services

We know you've a business to run. Refurbishing, moving, and equipping an office can be a strain at the best of times... and we know that you, as a successful manager, don't want to be spending any more time than absolutely necessary being buried in the painful details of office planning, furniture, and equipment.

With Unique you don't have to. Our specialist office designers take the burden of detail off your shoulders, managing your project from start to finish.

From initial planning, choosing the equipment and furniture, to tightening every last nut, bolt, and washer, we work tirelessly to make sure you can concentrate on doing what you're best at; running your own business.

## ■ Office Refurbishment

At Unique Office Solutions, we provide a total refurbishment solution. Our extensive range of product knowledge allows us to handle any task, whether it be a simple office refurbishment or a whole building makeover.

*Tired of endless phone calls to different suppliers...?*

We can Project Manage the whole process for you, making your office refurbishment a manageable and organised project. Our customer services team are focused on providing excellent service, and will always be there to assist.

With an in-house CAD design team, we can quickly and easily design your furniture layouts and recommend products from our extensive ranges.

## ■ Delivery and Installation

Our delivery and installation teams are aware of the need to respect the office environment they are in.

Therefore, you will find our staff to be polite, helpful, and highly experienced in the work they do, ensuring minimum fuss and disruption.

Easily recognisable in their Unique Office Solutions uniforms, our installers will be happy to advise on any situations that arise, and liaise with your office staff to ensure you are completely satisfied with the installation. Unique's fleet of vehicles from small vans to 7.5 tonne lorries also means that we can deliver to any location, and our out of hours working policy will again ensure minimum disruption to your working day.


## ■ Best Value and Fast Track Ordering

Over the years Unique Office Solutions best buys have become a resounding success and continue to offer:




- Fast Track Ordering
- Quick Delivery and Installation
- Best Value meeting full EC Tendering Regulations
- Space Planning
- Free Installation
- Full 5 Year On-Site Guarantee
- All prices exclude VAT



■ **Traditional Desking Layout -**  
with 38 Desk Positions



■ **New Way of Working Layout -**  
with 66 Desk Positions



# IQ Squared Bench - Back to Back

- Adjustable beam from 1000-2400mm
- Built in cable management
- 25mm thick worktops, 3mm PVC edge in Maple, Oak, White, Beech and Walnut as standard, other finishes available
- Retro fitted screens with metal to metal fixing to bench frame
- Scallops or cable cut out for use with integral power and data
- Sliding tops available
- 80 mm square leg frame
- Mass Cable Leg Riser
- Optional large capacity easy access cable tray to increase capacity



## 2 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQSQ2-10-16	1000 x 1600 x 720
IQSQ2-12-16	1200 x 1600 x 720
IQSQ2-14-16	1400 x 1600 x 720
IQSQ2-16-16	1600 x 1600 x 720
IQSQ2- 8-12	800 x 1200 x 720
IQSQ2-10-12	1000 x 1200 x 720
IQSQ2-12-12	1200 x 1200 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

## 4 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQSQ4-20-16	2000 x 1600 x 720
IQSQ4-24-16	2400 x 1600 x 720
IQSQ4-28-16	2800 x 1600 x 720
IQSQ4-32-16	3200 x 1600 x 720
IQSQ4-16-12	1600 x 1200 x 720
IQSQ4-20-12	2000 x 1200 x 720
IQSQ4-24-12	2400 x 1200 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

## 6 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQSQ6-30-16	3000 x 1600 x 720
IQSQ6-36-16	3600 x 1600 x 720
IQSQ6-42-16	4200 x 1600 x 720
IQSQ6-48-16	4800 x 1600 x 720
IQSQ6-24-12	2400 x 1200 x 720
IQSQ6-30-12	3000 x 1200 x 720
IQSQ6-36-12	3600 x 1200 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

## 8 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQSQ8-40-16	4000 x 1600 x 720
IQSQ8-48-16	4800 x 1600 x 720
IQSQ8-56-16	5600 x 1600 x 720
IQSQ8-64-16	6400 x 1600 x 720
IQSQ8-32-12	3200 x 1200 x 720
IQSQ8-40-12	4000 x 1200 x 720
IQSQ8-48-12	4800 x 1200 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

# IQ Squared Bench - Single Sided

- Adjustable beam from 1000-2400mm
- Built in cable management
- 25mm thick worktops, 3mm PVC edge in Maple, Oak, White, Beech and Walnut as standard, other finishes available
- Retro fitted screens with metal to metal fixing to bench frame
- Scallops or cable cut out for use with integral power and data
- Sliding tops available
- 80 mm square leg frame
- Mass Cable Leg Riser
- Optional large capacity easy access cable tray to increase capacity





## 1 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQSQ1-10-8	1000 x 800 x 720
IQSQ1-12-8	1200 x 800 x 720
IQSQ1-14-8	1400 x 800 x 720
IQSQ1-16-8	1600 x 800 x 720
IQSQ1- 8-6	800 x 600 x 720
IQSQ1-10-6	1000 x 600 x 720
IQSQ1-12-6	1200 x 600 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

## 2 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQSQ2-20-8	2000 x 800 x 720
IQSQ2-24-8	2400 x 800 x 720
IQSQ2-28-8	2800 x 800 x 720
IQSQ2-32-8	3200 x 800 x 720
IQSQ2-16-6	1600 x 600 x 720
IQSQ2-20-6	2000 x 600 x 720
IQSQ2-24-6	2400 x 600 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

## 3 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQSQ3-30-8	3000 x 800 x 720
IQSQ3-36-8	3600 x 800 x 720
IQSQ3-42-8	4200 x 800 x 720
IQSQ3-48-8	4800 x 800 x 720
IQSQ3-24-6	2400 x 600 x 720
IQSQ3-30-6	3000 x 600 x 720
IQSQ3-36-6	3600 x 600 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

## 4 Person Workstation

Goal Post Leg - Standard Bench


CODE	W x D x H
IQSQ4-40-8	4000 x 800 x 720
IQSQ4-48-8	4800 x 800 x 720
IQSQ4-56-8	5600 x 800 x 720
IQSQ4-64-8	6400 x 800 x 720
IQSQ4-32-6	3200 x 600 x 720
IQSQ4-40-6	4000 x 600 x 720
IQSQ4-48-6	4800 x 600 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

- Adjustable beam width from 1000-2400mm
- 60mm x 40mm tubular leg frame
- Available in straight or angled leg options
- Scallops or cable cut out for power and data wiring
- 25mm thick worktops, 3mm PVC edge in Maple, Oak, White, Beech and Walnut as standard
- Retro fitted screens with metal to metal fixings
- Mass cable leg riser optional
- Large capacity cable tray optional

■ Illustrated with Angled Leg Option



■ Illustrated with Standard Silver Straight Leg

## 2 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQ2-10-16	1000 x 1600 x 720
IQ2-12-16	1200 x 1600 x 720
IQ2-14-16	1400 x 1600 x 720
IQ2-16-16	1600 x 1600 x 720
IQ2- 8-12	800 x 1200 x 720
IQ2-10-12	1000 x 1200 x 720
IQ2-12-12	1200 x 1200 x 720



■ Note: Price does not include screens.  
For screen options see page 21.  
Angled leg option - 3-4 week delivery.

## 4 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQ4-20-16	2000 x 1600 x 720
IQ4-24-16	2400 x 1600 x 720
IQ4-28-16	2800 x 1600 x 720
IQ4-32-16	3200 x 1600 x 720
IQ4-16-12	1600 x 1200 x 720
IQ4-20-12	2000 x 1200 x 720
IQ4-24-12	2400 x 1200 x 720



■ Note: Price does not include screens.  
For screen options see page 21.  
Angled leg option - 3-4 week delivery.

## 6 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQ6-30-16	3000 x 1600 x 720
IQ6-36-16	3600 x 1600 x 720
IQ6-42-16	4200 x 1600 x 720
IQ6-48-16	4800 x 1600 x 720
IQ6-24-12	2400 x 1200 x 720
IQ6-30-12	3000 x 1200 x 720
IQ6-36-12	3600 x 1200 x 720



■ Note: Price does not include screens.  
For screen options see page 21.  
Angled leg option - 3-4 week delivery.

## 8 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQ8-40-16	4000 x 1600 x 720
IQ8-48-16	4800 x 1600 x 720
IQ8-56-16	5600 x 1600 x 720
IQ8-64-16	6400 x 1600 x 720
IQ8-32-12	3200 x 1200 x 720
IQ8-40-12	4000 x 1200 x 720
IQ8-48-12	4800 x 1200 x 720



■ Note: Price does not include screens.  
For screen options see page 21.  
Angled leg option - 3-4 week delivery.

# IQ Bench - Single Sided

- Single sided bench with recessed leg
- Adjustable beam width from 1000-2400mm
- 60mm x 40mm tubular leg frame
- Available in straight or angled leg options
- Scallops or cable cut out for power and data wiring
- 25mm thick worktops, 3mm PVC edge in Maple, Oak, White, Beech and Walnut as standard
- Retro fitted screens with metal to metal fixings
- Mass cable leg riser optional



## 1 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQ1-10-8	1000 x 800 x 720
IQ1-12-8	1200 x 800 x 720
IQ1-14-8	1400 x 800 x 720
IQ1-16-8	1600 x 800 x 720
IQ1- 8-6	800 x 600 x 720
IQ1-10-6	1000 x 600 x 720
IQ1-12-6	1200 x 600 x 720



■ Note: Price does not include screens.  
For screen options see page 21.  
Angled leg option - 3-4 week delivery.

## 2 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQ2-20-8	2000 x 800 x 720
IQ2-24-8	2400 x 800 x 720
IQ2-28-8	2800 x 800 x 720
IQ2-32-8	3200 x 800 x 720
IQ1-16-6	1600 x 600 x 720
IQ1-20-6	2000 x 600 x 720
IQ1-24-6	2400 x 600 x 720



■ Note: Price does not include screens.  
For screen options see page 21.  
Angled leg option - 3-4 week delivery.

## 3 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQ3-30-8	3000 x 800 x 720
IQ3-36-8	3600 x 800 x 720
IQ3-42-8	4200 x 800 x 720
IQ3-48-8	4800 x 800 x 720
IQ3-24-6	2400 x 600 x 720
IQ3-30-6	3000 x 600 x 720
IQ3-36-6	3600 x 600 x 720



■ Note: Price does not include screens.  
For screen options see page 21.  
Angled leg option - 3-4 week delivery.

## 4 Person Workstation

Goal Post Leg - Standard Bench

CODE	W x D x H
IQ4-40-8	4000 x 800 x 720
IQ4-48-8	4800 x 800 x 720
IQ4-56-8	5600 x 800 x 720
IQ4-64-8	6400 x 800 x 720
IQ4-32-6	3200 x 600 x 720
IQ4-40-6	4000 x 600 x 720
IQ4-48-6	4800 x 600 x 720



■ Note: Price does not include screens.  
For screen options see page 21.  
Angled leg option - 3-4 week delivery.

- Adjustable telescopic beam from 1000-1800mm
- Universal components
- Cable ports or scallops
- Single desk configuration
- 25mm thick worktops, 3mm PVC edge in Maple, Oak, White, Beech and Walnut as standard, other finishes available
- 25mm height levelling foot
- Cable managed leg
- Power + Data mounting solutions optional



## ■ Rectangular Desk

CODE	W x D x H
B10	1000 x 800 x 720
B12	1200 x 800 x 720
B14	1400 x 800 x 720
B16	1600 x 800 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

## ■ Single Wave Desk

CODE	W x D x H
BW12-L	1200 x 900 x 800 x 720
BW12-R	1200 x 900 x 800 x 720
BW14-L	1400 x 900 x 800 x 720
BW14-R	1400 x 900 x 800 x 720
BW16-L	1600 x 900 x 800 x 720
BW16-R	1600 x 900 x 800 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

## ■ Double Wave Desk

CODE	W x D x H
BDW14	1400 x 900 x 800 x 900 x 720
BDW16	1600 x 900 x 800 x 900 x 720
BDW18	1800 x 900 x 800 x 900 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

## ■ Crescent Workstation

CODE	W x D x H
BC14-L	1400 x 1200 x 800 x 600 x 720
BC14-R	1400 x 1200 x 800 x 600 x 720
BC16-L	1600 x 1200 x 800 x 600 x 720
BC16-R	1600 x 1200 x 800 x 600 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

# Height Adjustable Desking

- Set and forget adjustable leg frame
- Height adjustable range 610-820mm
- Flexible increments 15mm + 25mm
- Telescopic leg riser plate
- Side by side & vertical cable access
- Leg frame suites with motor driven height adjustable version
- Scallops and cable cut out for power and data wiring
- 25mm thick worktops, 3mm PVC edge in Maple, Oak, White, Beech and Walnut as standard, other finishes available
- Retro fitted screens with metal to metal fixings to frame





## ■ Rectangular Desk

Height adjustment from 610-820mm

CODE	W x D
HA-10	1000 x 800
HA-12	1200 x 800
HA-14	1400 x 800
HA-16	1600 x 800



■ Note: Price does not include screens.  
For screen options see page 21.

## ■ Single Wave Desk

Height adjustment from 610-820mm

CODE	W x D x H
HAW-12-L	1200 x 900 x 800
HAW-12-R	1200 x 900 x 800
HAW-14-L	1400 x 900 x 800
HAW-14-R	1400 x 900 x 800
HAW-16-L	1600 x 900 x 800
HAW-16-R	1600 x 900 x 800



■ Note: Price does not include screens.  
For screen options see page 21.

## ■ Double Wave Desk

Height adjustment from 610-820mm

CODE	W x D x H
HADW-14	1400 x 900 x 800 x 900
HADW-16	1600 x 900 x 800 x 900
HADW-16	1800 x 900 x 800 x 900



■ Note: Price does not include screens.  
For screen options see page 21.

## ■ Crescent Workstation

Height adjustment from 610-820mm

CODE	W x D x H
HAC-14-L	1400 x 1200 x 800 x 600
HAC-14-R	1400 x 1200 x 800 x 600
HAC-16-L	1600 x 1200 x 800 x 600
HAC-16-R	1600 x 1200 x 800 x 600
HAC-18-L	1800 x 1200 x 800 x 600
HAC-18-R	1800 x 1200 x 800 x 600



■ Note: Price does not include screens.  
For screen options see page 21.

- Easy access cable scallops or cable port Inserts
- Top options: Rectangular, Wave, Double Wave, Crescent
- 25mm thick worktops, 3mm PVC edge in Maple, Oak, Beech and Walnut as standard, other finishes available
- 25mm height levelling
- Standard leg
- Vertical cable riser optional

- *Standard Leg without Cable Cassette*



■ *Illustrated with Optional Leg Riser Cable Cassette*

## ■ Rectangular Desk

CODE	W x D x H
CL-10	1000 x 800 x 720
CL-12	1200 x 800 x 720
CL-14	1400 x 800 x 720
CL-16	1600 x 800 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

## ■ Single Wave Desk

CODE	W x D x H
CLW-12-R	1200 x 900 x 800 x 720
CLW-12-L	1200 x 900 x 800 x 720
CLW-14-R	1400 x 900 x 800 x 720
CLW-14-L	1400 x 900 x 800 x 720
CLW-16-R	1600 x 900 x 800 x 720
CLW-16-L	1600 x 900 x 800 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

## ■ Double Wave Desk

CODE	W x D x H
CLDW-14	1400 x 900 x 800 x 720
CLDW-16	1600 x 900 x 800 x 720
CLDW-18	1800 x 900 x 800 x 720



■ Note: Price does not include screens.  
For screen options see page 21.

## ■ Crescent Workstation

CODE	W x D x H
CLC-14-R	1400 x 1200 x 600 x 720
CLC-14-L	1400 x 1200 x 600 x 720
CLC-16-R	1600 x 1200 x 600 x 720
CLC-16-L	1600 x 1200 x 600 x 720
CLC-18-R	1800 x 1200 x 600 x 720
CLC-18-L	1800 x 1200 x 600 x 720




■ Note: Price does not include screens.  
For screen options see page 21.

- Top options:  
Rectangular, Wave,  
Double Wave, Crescent
- Size Range:  
1000, 1200, 1400, 1600,  
1800mm widths
- Full depth modesty panel  
available
- 25mm thick worktops,  
3mm PVC edge in Maple,  
Oak, White, Beech and  
Walnut as standard, other  
finishes available
- Height levelling feet
- Cable scallops or cable port  
insert



## ■ Rectangular Desk

CODE	W x D x H
P10-8	1000 x 800 x 720
P12-8	1200 x 800 x 720
P14-8	1400 x 800 x 720
P16-8	1600 x 800 x 720



## ■ Single Wave Desk

CODE	W x D x H
PW12-R	1200 x 900 x 800 x 720
PW12-L	1200 x 900 x 800 x 720
PW14-R	1400 x 900 x 800 x 720
PW14-L	1400 x 900 x 800 x 720
PW16-R	1600 x 900 x 800 x 720
PW16-L	1600 x 900 x 800 x 720



## ■ Double Wave Desk

CODE	W x D x H
PDW-14	1400 x 900 x 800 x 720
PDW-16	1600 x 900 x 800 x 720
PDW-18	1800 x 900 x 800 x 720



## ■ Crescent Workstation

CODE	W x D x H
PC14-R	1400 x 1200 x 800 x 600 x 720
PC14-L	1400 x 1200 x 800 x 600 x 720
PC16-R	1600 x 1200 x 800 x 600 x 720
PC16-L	1600 x 1200 x 800 x 600 x 720
PC18-R	1800 x 1200 x 800 x 600 x 720
PC18-L	1800 x 1200 x 800 x 600 x 720



	CODE
<p>■ <b>Cantilever Range</b></p> <p>Cable Cassette Cover for Leg</p>	CL-LC
<p>■ <b>Beam Range</b></p> <p>Power Mounting Plate</p> <p><i>*power socket not included</i></p> <p>Metal Modesty Panel including fixing brackets 800-1600mm</p>	B-PMP B-SMP
<p>■ <b>IQ and IQ Squared Bench</b></p> <p>Screen Brackets</p> <p>Power Mounting Plate</p> <p><i>*power socket not included</i></p> <p>Metal Modesty Panel including fixing brackets 800mm-1800mm</p> <p>Large Capacity Cable Tray Single Sided Bench</p> <p>1000mm</p> <p>1400mm</p> <p>Mass Cable Cover for Intermediate Leg</p> <p>Large Capacity Cable Tray for Back to Back Bench</p> <p>1000mm</p> <p>1400mm</p> <p>D-End Extension Bracket</p> <p>Magnetic Cable Riser</p> <p>Pull Out Pen Tray</p>	IQ-SB IQ-PMP IQ-SMP IQ-LCCT-SS1 IQ-LCCT-SS14 IQ-MCC IQ-LCCT-BB1 IQ-LCCT-BB14 IQ-DEEB IQ-MCR IQ-POPT



■ Mass Cable Leg Cover



■ Cable Cassette Cover for Leg



■ Pull Out Pen Tray



■ Large Capacity Cable Tray, Back to Back Bench



■ Power Module



■ Modesty Panel



■ Screen Bracket



■ Sliding Top Option




■ Cable Port



■ Scallop Cut Out



■ Flat Screen Monitor Arms



■ Flat Screen Monitor Arms



■ Desktop Power



■ CPU Holder

**CODE**

■ **Flat Screen Monitor Arms**

Two part arm with height and screen angle adjustment  
Quick release system to detach the screen from the arm  
Screen weight up to a maximum 12kgs

MAW

Gas powered dynamic height adjustable monitor arm  
*Options to fit to post or screen -*  
Quick release system to detach the screen from the arm  
Screen weight range up to a maximum 8.5kgs

MAG

Basic all in one monitor arm offering height and screen angle adjustment  
Screen weight range up to a maximum 8.5kgs

MAR

■ **CPU Holder**

Entry level CPU holder providing a mounting solution for a variety of shapes and sizes

ELCPU

Mid range CPU holder providing a mounting solution for a variety of shapes and sizes

MRCPU

Tamper proof secure CPU holder providing a mounting solution for a variety of shapes and sizes

TPCPU

■ **Desktop Power Modules**

2 x Single switched individually fused UK  
13amp power sockets and 2 x CAT 5 Data sockets

DTP52P2D

3 x Single switched individually fused UK  
13amp power sockets and 2 x CAT 5 Data sockets

DTP53P2D

2 x Single switched individually fused UK  
13amp power sockets

2-13SINSOC

■ **Power Modules**

4 x UK 13 amp power sockets individually switched and fused, inc 2 mtr lead

4GUDPS

3x UK 13 amp power sockets individually switched and fused, inc 2 mtr lead

3GUDPS

2x UK 13 amp power sockets individually switched and fused, inc 2 mtr lead

2GUDPS

	Fully Upholstered	Fully Upholstered Linking	Aluminium Framed Fabric Unit-Linking	Aluminium Framed Fabric Unit-Linking with Single Tool Rail	Aluminium Framed Fabric Unit-Linking with Multi Tool Rail	Acrylic Desk Mounted
W x H	CODE	CODE	CODE	CODE	CODE	CODE

■ **Desk Mounted Straight Top (370mm High)**

1000 x 370	DMS10-37FU	DMS10-37FUL	DMS10-37AL	DMS10-37ATL	DMS10-37AMTL	DMS10-37AC
1200 x 370	DMS12-37FU	DMS12-37FUL	DMS12-37AL	DMS12-37ATL	DMS12-37AMTL	DMS12-37AC
1400 x 370	DMS14-37FU	DMS14-37FUL	DMS14-37AL	DMS14-37ATL	DMS14-37AMTL	DMS14-37AC
1600 x 370	DMS16-37FU	DMS16-37FUL	DMS16-37AL	DMS16-37ATL	DMS16-37AMTL	DMS16-37AC

■ **Desk Mounted Straight Top (470mm High)**

1000 x 470	DMS10-47FU	DMS10-47FUL	DMS10-47AL	DMS10-47ATL	DMS10-47AMTL	DMS10-47AC
1200 x 470	DMS12-47FU	DMS12-47FUL	DMS12-47AL	DMS12-47ATL	DMS12-47AMTL	DMS12-47AC
1400 x 470	DMS14-47FU	DMS14-47FUL	DMS14-47AL	DMS14-47ATL	DMS14-47AMTL	DMS14-47AC
1600 x 470	DMS16-47FU	DMS16-47FUL	DMS16-47AL	DMS16-47ATL	DMS16-47AMTL	DMS16-47AC

■ **Desk Mounted Wave Top (370mm > 270mm High)**

1000x370>270	DMW10-37-27FU	DMW10-37-27FUL	DMW10-37-27AL	DMW10-37-27ATL	DMW10-37-27AMTL	DMW10-37-27AC
1200x370>270	DMW12-37-27FU	DMW12-37-27FUL	DMW12-37-27AL	DMW12-37-27ATL	DMW12-37-27AMTL	DMW12-37-27AC
1400x370>270	DMW14-37-27FU	DMW14-37-27FUL	DMW14-37-27AL	DMW14-37-27ATL	DMW14-37-27AMTL	DMW14-37-27AC
1600x370>270	DMW16-37-27FU	DMW16-37-27FUL	DMW16-37-27AL	DMW16-37-27ATL	DMW16-37-27AMTL	DMW16-37-27AC

■ **Desk Mounted Wave Top (470mm > 270mm High)**

1000x470>270	DMW10-47-27FU	DMW10-47-27FUL	DMW10-47-27AL	DMW10-47-27ATL	DMW10-47-27AMTL	DMW10-47-27AC
1200x470>270	DMW12-47-27FU	DMW12-47-27FUL	DMW12-47-27AL	DMW12-47-27ATL	DMW12-47-27AMTL	DMW12-47-27AC
1400x470>270	DMW14-47-27FU	DMW14-47-27FUL	DMW14-47-27AL	DMW14-47-27ATL	DMW14-47-27AMTL	DMW14-47-27AC
1600x470>270	DMW16-47-27FU	DMW16-47-27FUL	DMW16-47-27AL	DMW16-47-27ATL	DMW16-47-27AMTL	DMW16-47-27AC

■ **Screen Brackets (per pair)**

SB

- Fully upholstered desk mounted screens in 'Cara' fabric  
(Price on application for alternative fabrics)
- Aluminium framed screen with Multi tool rail with accessories



■ Fully Upholstered



■ Aluminium Framed



■ Aluminium Frame with Tool Rail



- Free Standing Screens in 'Cara' fabric  
(Price on application for alternative fabrics)
- Fully upholstered free standing screen - linkable
- Aluminium framed free standing screen - linkable



■ Aluminium Linking Screen

■ Fabric Screen

W x H	Fully Upholstered Free Standing CODE	Aluminum Framed Fabric Unit - Free Standing CODE	Fully Upholstered Free Standing Linking CODE	Aluminum Framed Fabric Unit - Free Standing Linking CODE
-------	---	---	---	---

■ **Straight Top** (1200mm High)

800 x 1200	FSS8-12FU	FSS8-12AL	FSS8-12FUL	FSS8-12ALL
1000 x 1200	FSS10-12FU	FSS10-12AL	FSS10-12FUL	FSS10-12ALL
1200 x 1200	FSS12-12FU	FSS12-12AL	FSS12-12FUL	FSS12-12ALL
1400 x 1200	FSS14-12FU	FSS14-12AL	FSS14-12FUL	FSS14-12ALL
1600 x 1200	FSS16-12FU	FSS16-12AL	FSS16-12FUL	FSS16-12ALL

■ **Straight** (1800mm High)

800 x 1800	FSS8-18FU	FSS8-18AL	FSS8-18FUL	FSS8-18ALL
1000 x 1800	FSS10-18FU	FSS10-18AL	FSS10-18FUL	FSS10-18ALL
1200 x 1800	FSS12-18FU	FSS12-18AL	FSS12-18FUL	FSS12-18ALL
1400 x 1800	FSS14-18FU	FSS14-18AL	FSS14-18FUL	FSS14-18ALL
1600 x 1800	FSS16-18FU	FSS16-18AL	FSS16-18FUL	FSS16-18ALL

■ **Wave Top** (1200mm > 1000mm High)




800x1200>1000	FSW8-12-10FU	FSW8-12-10AL	FSW8-12-10FUL	FSW8-12-10ALL
1000x1200>1000	FSW10-12-10FU	FSW10-12-10AL	FSW10-12-10FUL	FSW10-12-10ALL
1200x1200>1000	FSW12-12-10FU	FSW12-12-10AL	FSW12-12-10FUL	FSW12-12-10ALL
1600x1200>1000	FSW16-12-10FU	FSW16-12-10AL	FSW16-12-10FUL	FSW16-12-10ALL
1800x1200>1000	FSW18-12-10FU	FSW18-12-10AL	FSW18-12-10FUL	FSW18-12-10ALL

■ **Wave Top** (1800mm > 1500mm High)




800x1800>1500	FSW8-18-15FU	FSW8-18-15AL	FSW8-18-15FUL	FSW8-18-15FALL
1000x1800>1500	FSW10-18-15FU	FSW10-18-15AL	FSW10-18-15FUL	FSW10-18-15FALL
1200x1800>1500	FSW12-18-15FU	FSW12-18-15AL	FSW12-18-15FUL	FSW12-18-15FALL
1400x1800>1500	FSW14-18-15FU	FSW14-18-15AL	FSW14-18-15FUL	FSW14-18-15FALL
1600x1800>1500	FSW16-18-15FU	FSW16-18-15AL	FSW16-18-15FUL	FSW16-18-15FALL

■ **Free Standing Screen Feet**

FSF



■ London Borough of Newham




■ London Borough of Newham





■ London Borough of Havering, Central Library



■ London Borough of Barking & Dagenham Library



■ Croydon Council



■ London Borough of Newham - Building 1000




■ *Edinburgh Primary School*








■ *The St Christopher School, Southend on Sea*




■ Bidborough House



■ *The St Christopher School, Southend on Sea*


- UK Manufactured
- Oak, Maple fast track stock
- Steel Side Drawers
- 18mm Thick base
- Silver handle supplied as standard
- Fifth Castor




■ When ordering please specify our code and the wood finish you require

	W x D x H	CODE	CODE
■ <b>Heavy Duty Pedestals</b>		Wood	Steel
<b>3 Drawer Under Desk Mobile Pedestal</b> <i>(pen tray included)</i>	425 x 575 x 600	MP3	SMP3
<b>2 Drawer Under Desk Mobile Pedestal</b> <i>(optional pen tray)</i>	425 x 575 x 600	MP2	SMP2
<b>2 Drawer Desk High Pedestal</b> <i>(optional pen tray)</i>	425 x 600 x 725	DHP2-6	SDHP2-6
<b>3 Drawer Desk High Pedestal</b> <i>(optional pen tray)</i>	425 x 600 x 725	DHP3-6	SDHP3-6
<b>2 Drawer Desk High Pedestal</b> <i>(optional pen tray)</i>	425 x 800 x 725	DHP2-8	SDHP2-8
<b>3 Drawer Desk High Pedestal</b> <i>(optional pen tray)</i>	425 x 800 x 725	DHP3-8	SDHP3-8

	W x D x H	CODE	CODE
■ <b>Lockers</b>		Wood	Steel
<b>Single Door Locker</b>	305 x 457 x 1800	L1	SL1
<b>2 Tier Locker</b>	305 x 457 x 1800	L2	SL2
<b>4 Tier Locker</b>	305 x 457 x 1800	L4	SL4





Open Storage    Side Opening Tambour    Two Door Storage



W x D x H	CODE	CODE	CODE
-----------	------	------	------

■ **Wood Storage**

800 x 535 x 720	OS7-8	SOT7-8	C7-8
1022 x 535 x 720	OS7-10	SOT7-10	C7-10
1022 x 535 x 1000	OS10-10	SOT10-10	C10-10
1022 x 535 x 1200	OS12-10	SOT12-10	C12-10
1022 x 535 x 1600	OS16-10	SOT16-10	C16-10
1022 x 535 x 1800	OS18-10	SOT18-10	C18-10
1022 x 535 x 2000	OS20-10	SOT20-10	C20-10
Wooden Shelf	WS		
Steel Shelf	SS		
Steel Lateral Filing Rail	SLFR		
Steel Pull Out Filing Rail	SPOFR		



■ **Bookcases**

1000 x 350 x 720 <i>(inc 1 x shelf)</i>	BC7
1000 x 350 x 1000 <i>(inc 2 x shelves)</i>	BC10
1000 x 350 x 1200 <i>(inc 3 x shelves)</i>	BC12
1000 x 350 x 1600 <i>(inc 4 x shelves)</i>	BC16

■ **Filing Cabinets**

2 Drawer Filing Cabinet	FC2
3 Drawer Filing Cabinet	FC3
4 Drawer Filing Cabinet	FC4

■ **Side Filers**

2 Drawer Side Filer	SF2
3 Drawer Side Filer	SF3



## ■ Free Standing Wooden Storewall

### ■ Full Height Doors

5 x 1000mm Wide Bays x 2400mm High

Complete with full height doors with scribed top and side infill panels to suit overall room dimensions 5200mm x 2500mm ceiling height. Supplied empty.

**Supply Only**  
**Supply & Install**



### ■ Top Box

5 x 1000mm Wide Bays x 2400mm High


Complete with 2m high doors and 400mm top box units and doors. Scribed top and side infill panels to suit overall room dimensions 5200mm x 2500mm ceiling height. Supplied empty.

**Supply Only**  
**Supply & Install**



### ■ Storage Internals

Wooden Shelf  
Steel Shelf  
Steel Lateral Filing Rail  
Steel Pull Out Filing Rail  
Steel Pull Out Drawer





■ This is for guide purposes only. Please ask for fabric swatch colour.



## Phoenix

### Composition

100% Polyester  
Non metallic dyestuffs

### Weight

270g/m2 ±5% (380g/lin.m. ±5%)

### Abrasion Resistance

100,000 Martindale cycles with a 5 year guarantee of wearability (full details available)  
BS EN 1021 - 1:2006 (cigarette)  
BS EN 1021 - 2:2006 (match)  
BS 7176 : 2007 Low Hazard

Note: Flammability performance is dependent on foam used.

### Light Fastness

6 (ISO 105 - B02:1999)

### Fastness to Rubbing

Wet: 4 Dry: 4 (ISO 105 - X12:2002)

### Maintenance

Vacuum regularly. Wipe clean with a damp cloth or shampoo using proprietary upholstery shampoo.

### Colour Matching

Batch to batch variations in shade may occur within commercial tolerances.

## Oxygen

### Composition

100% Pure New Wool  
Non metallic dyestuffs

**Weight** 400g/m2 ±5% (560g/lin.m. ±5%)

### Abrasion Resistance

100,000 Martindale cycles with a 5 year guarantee of wearability (full details available)

### Flammability

BS EN 1021 - 1:2006 (cigarette)  
BS EN 1021 - 2:2006 (match)  
BS 7176 : 2007 Low Hazard

**Optional** - please specify when ordering:

BS 5852 : 2006 Section 4 Ignition Source 5 when FR treated,  
BS 7176 : 2007 Medium Hazard when FR treated  
(Note: Flammability performance is dependent on foam used.)

### Light Fastness

5 (ISO 105 - B02:1999)  
Fastness to Rubbing Wet: 4 Dry: 4  
(ISO 105 - X12:2002)

### Maintenance

Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.

### Colour Matching

Batch to batch variations in shade may occur within commercial tolerances.

## Lucia

### Composition

100% Polyester  
Non metallic dyestuffs

### Weight

260g/m2 ±5%  
(442g/lin.m. ±5%)

### Flammability

BS 476 Part 7 Class 1  
Note: Flammability performance is dependent on components used.

### Light Fastness

6 (ISO 105 - B02:1999)

### Fastness to Rubbing

Wet: 4 Dry: 4  
(ISO 105 - X12:2002)

### Maintenance

Washable to 60°C. Vacuum regularly. Wipe clean with a damp cloth or shampoo using proprietary upholstery shampoo.

### Colour Matching

Batch to batch variations in shade may occur within commercial tolerances.

## Blazer II

### Composition

100% Pure New Wool  
Non metallic dyestuffs

### Weight

460g/m2 ±5% (645g/lin.m. ±5%)

### Abrasion Resistance

50,000 Martindale cycles with a 5 year guarantee of wearability (full details available)

### Flammability

BS EN 1021 - 1:2006 (cigarette)  
BS EN 1021 - 2:2006 (match)  
BS 7176 : 2007 Low Hazard

**Optional** - please specify when ordering:

BS 5852 : 2006 Section 4 Ignition Source 5 when FR treated,  
BS 7176 : 2007 Medium Hazard when FR treated

Note: Flammability performance is dependent on foam used.

**Light Fastness** 5 (ISO 105 - B02:1999)

### Fastness to Rubbing













Wet: 4 Dry: 4 (ISO 105 - X12:2002)

**Maintenance** Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.

### Colour Matching

Batch to batch variations in shade may occur within commercial tolerances.



MODEL/STANDARD FEATURES		FABRIC	MODEL/STANDARD FEATURES		FABRIC
	<ul style="list-style-type: none"> <li><b>OPERHA01G1</b></li> <li><b>OPERHA01G3</b></li> </ul> <p><b>Operator Chair</b> - 2 Lever Mechanism</p> <ul style="list-style-type: none"> <li>• Seat &amp; Back Adjustment</li> <li>• Medium Back</li> </ul>	<ul style="list-style-type: none"> <li>Phoenix</li> <li>Oxygen</li> </ul>		<ul style="list-style-type: none"> <li><b>OPEREC085SG1</b></li> <li><b>OPEREC085SG3</b></li> </ul> <p><b>Operator Chair</b> - Synchro</p> <p><i>Minimum specification</i> • Synchro Mechanism</p> <ul style="list-style-type: none"> <li>• Concealed Back Height Adjustment • Medium Back</li> </ul>	<ul style="list-style-type: none"> <li>Phoenix</li> <li>Oxygen</li> </ul>
	<ul style="list-style-type: none"> <li><b>OPERHA02G1</b></li> <li><b>OPERHA02G3</b></li> </ul> <p><b>Operator Chair</b> - 2 Lever Mechanism</p> <ul style="list-style-type: none"> <li>• Seat &amp; Back Adjustment</li> <li>• High Back</li> </ul>	<ul style="list-style-type: none"> <li>Phoenix</li> <li>Oxygen</li> </ul>		<ul style="list-style-type: none"> <li><b>OPERECO95SG1</b></li> <li><b>OPERECO95SG3</b></li> </ul> <p><b>Operator Chair</b> - Synchro</p> <p><b>Minimum specification</b> Synchro Mechanism</p> <ul style="list-style-type: none"> <li>• Concealed Back Height Adjustment • High Back</li> </ul>	<ul style="list-style-type: none"> <li>Phoenix</li> <li>Oxygen</li> </ul>
	<ul style="list-style-type: none"> <li><b>OPEREC08G1</b></li> <li><b>OPEREC08G3</b></li> </ul> <p><b>Operator Chair</b> - 3 Lever Mechanism</p> <p><i>Minimum specification</i> • Seat Height, Seat Angle and Back Rake Adjustment • Medium Back</p>	<ul style="list-style-type: none"> <li>Phoenix</li> <li>Oxygen</li> </ul>		<ul style="list-style-type: none"> <li><b>MCCEC06MFUG1</b></li> <li><b>MCCEC06MFUG3</b></li> </ul> <p><b>Visitor Chair</b> - Medium Back</p> <ul style="list-style-type: none"> <li>• Black Cantilever Frame</li> <li>• Medium Back</li> </ul>	<ul style="list-style-type: none"> <li>Phoenix</li> <li>Oxygen</li> </ul>
	<ul style="list-style-type: none"> <li><b>OPEREC09G1</b></li> <li><b>OPEREC09G3</b></li> </ul> <p><b>Operator Chair</b> - 3 Lever Mechanism</p> <p><i>Minimum specification</i> • Seat Height, Seat Angle and Back Rake Adjustment • High Back</p>	<ul style="list-style-type: none"> <li>Phoenix</li> <li>Oxygen</li> </ul>		<ul style="list-style-type: none"> <li><b>MACECO7MFUG1</b></li> <li><b>MACECO7MFUG3</b></li> </ul> <p><b>Visitor Armchair</b> - Medium Back</p> <ul style="list-style-type: none"> <li>• Black Cantilever Frame</li> <li>• Medium Back</li> </ul>	<ul style="list-style-type: none"> <li>Phoenix</li> <li>Oxygen</li> </ul>
	<ul style="list-style-type: none"> <li><b>ECO 800 NC</b></li> </ul> <p><b>Full Back Chair</b></p> <ul style="list-style-type: none"> <li>• Duolock Posture Control</li> <li>• Pneumatic Seat Height</li> <li>• Black Nylon Base &amp; Castors</li> </ul>	<ul style="list-style-type: none"> <li>'A' Range</li> <li>'B' Range</li> <li>'C' Range</li> <li>'D' Range</li> </ul>		<ul style="list-style-type: none"> <li><b>ECO 1000 NC</b></li> </ul> <p><b>Draughtsman Chair</b></p> <ul style="list-style-type: none"> <li>• Medium Back</li> <li>• Duolock posture control</li> <li>• Chrome Foot Ring • High Gas Lift</li> <li>• Pneumatic Seat Height • Black Nylon Base &amp; Castors</li> </ul>	<ul style="list-style-type: none"> <li>'A' Range</li> <li>'B' Range</li> <li>'C' Range</li> <li>'D' Range</li> </ul>
	<ul style="list-style-type: none"> <li><b>ECO 900 NC</b></li> </ul> <p><b>Full Back Armchair</b></p> <ul style="list-style-type: none"> <li>• Duolock Posture Control</li> <li>• Pneumatic Seat Height</li> <li>• Black Nylon Base &amp; Castors</li> </ul>	<ul style="list-style-type: none"> <li>'A' Range</li> <li>'B' Range</li> <li>'C' Range</li> <li>'D' Range</li> </ul>		<ul style="list-style-type: none"> <li><b>OPTIONAL EXTRAS</b></li> </ul> <ul style="list-style-type: none"> <li>Ring Arms</li> <li>Height Adjustable Arms</li> <li>Silver 5 Star Base</li> </ul>	



'A' RANGE = Advantage +, Phoenix 'B' RANGE = Mainline +, Extreme + 'C' RANGE = Complements +, Velvetine + Intervene Soft 'D' RANGE = New Aquarius +, 24/7 +, Intervene Extra Care +, Oxygen

# Operator Seating - U Range



**U9 NC**  
**Medium Back Armchair**

- Trilock Posture Control
- Pneumatic Seat Height
- Black Nylon Base & Castors instruction graphics on the control levers

**MODEL/STANDARD FEATURES**

**FABRIC**

'A' Range  
 'B' Range  
 'C' Range  
 'D' Range  
 'E' Range  
 Selected Hide



**U80 NC**  
**High Back Armchair**

- Trilock Posture Control
- Pneumatic Seat Height
- Black Nylon Base & Castors instruction graphics on the control levers

'A' Range  
 'B' Range  
 'C' Range  
 'D' Range  
 'E' Range  
 Selected Hide



**U90 NC**  
**High Back Armchair**

- Trilock Posture Control
- Pneumatic Seat Height
- Black Nylon Base & Castors instruction graphics on the control levers

'A' Range  
 'B' Range  
 'C' Range  
 'D' Range  
 'E' Range  
 Selected Hide



**U900 NC**  
**Full Back Operators Armchair**

- Trilock Posture Control
- Pneumatic Seat Height
- Black Nylon Base & Castors instruction graphics on the control levers

'A' Range  
 'B' Range  
 'C' Range  
 'D' Range  
 'E' Range  
 Selected Hide



**MODEL/STANDARD FEATURES**

**FABRIC**

**U900 AM**  
**Full Back Armchair**

- Trilock Posture Control
- Pneumatic Seat Height
- Black Nylon Base & Castors instruction graphics on the control levers

'A' Range  
 'B' Range  
 'C' Range  
 'D' Range  
 'E' Range  
 Selected Hide



**U6 NC**  
**Visitors Armchair**

- Medium Back
- Back Cantilever Base

'A' Range  
 'B' Range  
 'C' Range  
 'D' Range  
 'E' Range  
 Selected Hide



**U7 NC**  
**Visitors Armchair**

- High Back
- Back Cantilever Base

'A' Range  
 'B' Range  
 'C' Range  
 'D' Range  
 'E' Range  
 Selected Hide



**U10 N**  
**Medium Back Draftmans Chair**

- Duolock Posture Control
- Pneumatic Seat Height
- Black Nylon Base & Castors
- Adjustable footring
- Instruction graphics on the control levers

'A' Range  
 'B' Range  
 'C' Range  
 'D' Range  
 'E' Range  
 Selected Hide



**OPTIONAL EXTRAS**







- Synchronised Mechanism
- Lumbar Support System
- Sliding Seat
- Extra Large Seat
- Memory Foam Seat



**ARM OPTIONS**

- Height Adjustable Arm
- Folding Arms
- Multi Function Arms
- Sliding Pads

'A' RANGE = Advantage +, Phoenix 'B' RANGE = Mainline +, Extreme + 'C' RANGE = Complements +, Velvetine + Intervene Soft 'D' RANGE = New Aquarius +, 24/7 +, Intervene Extra Care +, Oxygen

MODEL/STANDARD FEATURES	FABRIC
 <p>■ <b>TASKHECO1G1</b> <b>TASKHECO1G3</b></p> <p><b>Task Chair</b> - 3 Lever Mechanism</p> <ul style="list-style-type: none"> <li>• 3 Lever Mechanism offering Seat Height Seat Angle and Back Rake Adjustment • High Back</li> </ul>	<p>Phoenix Oxygen</p>
 <p>■ <b>TASKHECO2G1</b> <b>TASKHECO2G3</b></p> <p><b>Task Chair</b> - Synchro Mechanism</p> <ul style="list-style-type: none"> <li>• Concealed Back Height Adjustment</li> <li>• High Back</li> </ul>	<p>Phoenix Oxygen</p>
 <p>■ <b>TASKHECO3G1</b> <b>TASKHECO3G3</b></p> <p><b>Task Chair</b> - Synchro Mechanism</p> <ul style="list-style-type: none"> <li>• Concealed Back Height Adjustment</li> <li>• Width and Height Adjustment Arms • High Back</li> </ul>	<p>Phoenix Oxygen</p>
 <p>■ <b>Full Back Chair HA15A</b></p> <p>Independent Seat &amp; Back Seat Slide Auto Back Height Pneumatic Seat Height Black Nylon Base &amp; Castors</p>	<p>'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide</p>
 <p>■ <b>High Back Visitor Chair HA09</b></p> <p>Height Adjustable Arms Black Cantilever Frame</p>	<p>'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide</p>
 <p>■ <b>High Back Visitor Chair HA10</b></p> <p>Black Cantilever Frame</p>	<p>'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide</p>













- **OPTIONAL EXTRAS**
- Synchronised Mechanism
  - Memory Seat Foam
  - Lumbar Support System
  - Silver Base
  - Chrome Pyramid Base
  - Black Pyramid Base
  - Chrome Cantilever Frame
  - Sliding Seat
- **ARM OPTIONS**
- Height Adjustable Arms
  - Multi-Function Arms
  - Folding Arms
  - Fixed Arms



'A' RANGE = Advantage +, Phoenix 'B' RANGE = Mainline +, Extreme + 'C' RANGE = Complements +, Velvetine + Intervene Soft 'D' RANGE = New Aquarius +, 24/7 +, Intervene Extra Care +, Oxygen

	MODEL/STANDARD FEATURES	FABRIC	MODEL/STANDARD FEATURES	FABRIC
 <p>■ ERGOSM6G1</p>	<p>■ <b>ERGOSM4G1</b> <b>ERGOSM4G3</b></p> <p><b>High Back Chair</b></p> <ul style="list-style-type: none"> <li>• Synchro Mechanism with Concealed Back</li> <li>• Height Back Adjustment • Width and Height Adjustable Arms</li> <li>• Extra Large Seat • High Back</li> </ul>	<p>Phoenix Oxygen</p>	 <p>■ <b>ERGOU90G1</b> <b>ERGOU90G3</b></p> <p><b>Ergonomics Task Chair</b></p> <ul style="list-style-type: none"> <li>• 3 Lever Mechanism offering Seat Height, Seat Angle and Back Rake Adjustment</li> <li>• Full Back</li> </ul>	<p>Phoenix Oxygen</p>
	<p>■ <b>ERGOSM6G1</b> <b>ERGOSM6G3</b></p> <p><b>Synchro Mechanism Chair</b></p> <ul style="list-style-type: none"> <li>• Synchro Mechanism with Concealed Back</li> <li>• Height Back Adjustment • Width and Height Adjustable Arms</li> <li>• Extra Large Seat • Full Back <i>**shown with optional neck support</i></li> </ul>	<p>Phoenix Oxygen</p>		<p>■ <b>ERGOU900G1</b> <b>ERGOU900G3</b></p> <p><b>Ergonomics Task Chair</b></p> <ul style="list-style-type: none"> <li>• 3 Lever Mechanism offering Seat Height, Seat Angle and Back Rake Adjustment</li> <li>• Full Back</li> </ul>
 <p>■ SM2</p>	<p>■ <b>Visitor Chair SM1</b></p> <ul style="list-style-type: none"> <li>• High Back Visitor Chair</li> <li>• Painted Black</li> <li>• Cantilever Base</li> </ul>	<p>'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide</p>	 <p>■ <b>Operator Chair SM3</b></p> <ul style="list-style-type: none"> <li>• High Back Operator Chair</li> <li>• Side Tension Synchro</li> <li>• Auto Back Height</li> <li>• Black Nylon Base</li> </ul>	<p>'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide</p>
	<p>■ <b>Visitor Chair SM2</b></p> <ul style="list-style-type: none"> <li>• High Back Visitor Armchair</li> <li>• Painted Black</li> <li>• Cantilever Base</li> </ul>	<p>'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide</p>		<p>■ <b>Posture Chair SM8</b></p> <ul style="list-style-type: none"> <li>• Full back operator armchair with neck support</li> <li>• Ergo tension synchro</li> <li>• Multi-function height Adjustable Arm</li> <li>• Dual Bag Lumbar Support</li> <li>• Sliding Seat</li> </ul>
 <p>■ Posture Chair SM8</p>		<p>■ <b>OPTIONAL EXTRAS</b></p> <ul style="list-style-type: none"> <li>Sliding Seat</li> <li>Independent 3 Lever Mechanism</li> <li>Chrome Base</li> <li>Lumbar Support System</li> <li>Neck Support</li> <li>Memory Foam Seat</li> <li>Coccyx Cut Out</li> </ul>		<p>■ <b>ARM OPTIONS</b></p> <ul style="list-style-type: none"> <li>Height Adjustable Arms</li> <li>Height and Width Adjustable Arms</li> <li>Multi-Function Arms</li> </ul>

'A' RANGE = Advantage +, Phoenix 'B' RANGE = Mainline +, Extreme + 'C' RANGE = Complements +, Velvetine + Intervene Soft 'D' RANGE = New Aquarius +, 24/7 +, Intervene Extra Care +, Oxygen

MODEL/STANDARD FEATURES		FABRIC	MODEL/STANDARD FEATURES		FABRIC
	<ul style="list-style-type: none"> <li>■ <b>MCWU13FUG1</b></li> <li>■ <b>MCWU13FUG3</b></li> </ul> <p><b>Meeting Chair</b></p> <ul style="list-style-type: none"> <li>• Wooden Frame</li> <li>• Fabric Seat and Back</li> </ul>	Phoenix Oxygen		<ul style="list-style-type: none"> <li>■ <b>Plastic Meeting Chair</b></li> <li>• 4 Legged • Metal frame • Plastic Seat &amp; Back</li> </ul> <p><b>MC4LMPSB</b> No Arms/ Black Frame  <b>MA4LMPSB</b> With Arm/Black Frame  <b>MC4LCPSB</b> No Arms/Chrome Frame  <b>MA4LCPSB</b> With Arms/Chrome Frame</p>	
	<ul style="list-style-type: none"> <li>■ <b>MCWU14FUG1</b></li> <li>■ <b>MCWU14FUG3</b></li> </ul> <p><b>Meeting Armchair</b></p> <ul style="list-style-type: none"> <li>• Wooden Frame</li> <li>• Fabric Seat and Back</li> </ul>	Phoenix Oxygen		<ul style="list-style-type: none"> <li>■ <b>Metal Leg Meeting Chair</b></li> <li>• 4 Legged • Metal frame • Fabric Seat &amp; Back</li> </ul> <p><b>MCMU5FUG1</b> No Arms/ Black Frame  <b>MAMU5AFUG1</b> Arm/Black Frame  <b>MCMU5FUG3</b> No Arms/Chrome Frame  <b>MAMU5AFUG3</b> Arms/Chrome Frame</p>	Phoenix Phoenix Oxygen Oxygen
	<ul style="list-style-type: none"> <li>■ <b>Non Stacking Chair U16</b></li> <li>• Laminated Timber Frame</li> <li>• Non Stacking</li> <li>• Natural Beech Finish</li> <li>• Fully Upholstered Seat &amp; Back</li> <li>• w585 d590 h885 sh440 mm</li> </ul>	'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide		<ul style="list-style-type: none"> <li>■ <b>Low Reception Chair U21RA</b></li> <li>• Laminated Timber Frame</li> <li>• Natural Beech Finish</li> <li>• Fully Upholstered</li> <li>• w545 d555 h855 sh370 mm</li> </ul>	'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide
	<ul style="list-style-type: none"> <li>■ <b>Stackable Chair U17</b></li> <li>• Laminated Timber Frame</li> <li>• Stackable x 4</li> <li>• Natural Beech Finish</li> <li>• Upholstered Seat &amp; Back</li> <li>• w585 d590 h885 sh440 mm</li> </ul>	'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide		<ul style="list-style-type: none"> <li>■ <b>Low Reception Chair U21LA</b></li> <li>• Laminated Timber Frame</li> <li>• Natural Beech Finish</li> <li>• Fully Upholstered</li> <li>• w545 d555 h855 sh370 mm</li> </ul>	'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide
	<ul style="list-style-type: none"> <li>■ <b>Stackable Chair U18</b></li> <li>• Laminated Timber Frame</li> <li>• Stackable x 4</li> <li>• Natural Beech Finish</li> <li>• Upholstered Seat &amp; Back</li> <li>• w585 d590 h885 sh440 mm</li> </ul>	'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide		<ul style="list-style-type: none"> <li>■ <b>Reception Table - Small U24</b></li> <li>• Laminated Timber Frame</li> <li>• Natural Beech Finish</li> <li>• w585 d590 h885 sh440 mm</li> </ul>	
	<ul style="list-style-type: none"> <li>■ <b>Stackable Chair U19</b></li> <li>• Laminated Timber Frame</li> <li>• Stackable x 4</li> <li>• Natural Beech Finish</li> <li>• Upholstered Seat &amp; Back</li> <li>• w585 d590 h885 sh440 mm</li> </ul>	'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide		<ul style="list-style-type: none"> <li>■ <b>Reception Table - Large U20</b></li> <li>• Reception Table Large</li> <li>• Natural Beech Finish</li> <li>• w900 d485 h430 mm</li> </ul>	

'A' RANGE = Advantage +, Phoenix 'B' RANGE = Mainline +, Extreme + 'C' RANGE = Complements +, Velvetine + Intervene Soft 'D' RANGE = New Aquarius +, 24/7 +, Intervene Extra Care +, Oxygen

	MODEL/STANDARD FEATURES	FABRIC		MODEL/STANDARD FEATURES	FABRIC
	<p>■ <b>Single Seat Armchair</b> MF1</p> <p>Fully Sprung Seat Aluminium Legs w790mm d780 h750 sh420</p>	<p>'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide</p>		<p>■ <b>Two Seater Tub Chair</b> UT4</p> <p>Panel Front w1290mm d600 h770 sh455</p>	<p>'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide</p>
	<p>■ <b>Two Seater Armchair</b> MF2</p> <p>Fully Sprung Seat Aluminium Legs w1380mm d780 h750sh420</p>	<p>'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide</p>			
	<p>■ <b>Three Seater Armchair</b> MF3</p> <p>Fully Sprung Seat Aluminium Legs w1990mm d780 h750 sh420</p>	<p>'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide</p>			
	<p>■ <b>Single Seat Tub Chair</b> UT1</p> <p>Open Front w710mm d600 h770 sh455</p>	<p>'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide</p>			
	<p>■ <b>Single Seat Tub Chair</b> UT2</p> <p>Panel Front w710mm d600 h770 sh455</p>	<p>'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide</p>			
	<p>■ <b>Two Seater Tub Chair</b> UT3</p> <p>Open Front w1290mm d600 h770 sh455</p>	<p>'A' Range 'B' Range 'C' Range 'D' Range 'E' Range Selected Hide</p>			

'A' RANGE = Advantage +, Phoenix 'B' RANGE = Mainline +, Extreme + 'C' RANGE = Complements +, Velvetine + Intervene Soft 'D' RANGE = New Aquarius +, 24/7 +, Intervene Extra Care +, Oxygen

	Column Legs - Silver	Column Legs - Chrome	Tip Top Table with Lockable Castors - Silver	Tip Top Table with Lockable Castors - Chrome	Welded 4 Legged Underframe - Silver	MFC Panel Arrowhead Legs
W x D x H	CODE	CODE	CODE	CODE	CODE	CODE



## ■ Rectangular Table Top

800 x 800	RT8-8SCL	RT8-8CCL	RTT8-8SF	RTT8-8CF	RT8-8WF	RT8-8AHB
1200 x 800	RT12-8SCL	RT12-8CCL	RTT12-8SF	RTT12-8CF	RT12-8WF	RT12-8AHB
1600 x 800	RT16-8SCL	RT16-8CCL	RTT16-8SF	RTT16-8CF	RT16-8WF	RT16-8AHB
2000 x 1000	RT20-10SCL	RT20-10CCL		RT20-10WF	RT20-10AHB	
2400 x 1000	RT24-10SCL	RT24-10CCL		RT24-10WF	RT24-10AHB	
2000 x 1200	RT20-12SCL	RT20-12CCL		RT20-12WF	RT20-12AHB	
2400 x 1200	RT24-12SCL	RT24-12CCL		RT24-12WF	RT24-12AHB	



## ■ Circular Table Tops

1000 Dia	CT10-SCL	CT10-CCL		CT10-WF	CT10-AHB
1200 Dia	CT12-SCL	CT12-CCL		CT12-WF	CT12-AHB



## ■ Semi-Circular Table Top

1600 x 800	SCT16-8SCL	SCT16-8CCL	SCTT16-8SF	SCTT16-8CF	SCT16-8WF	SCT16-8AHB
------------	------------	------------	------------	------------	-----------	------------


## ■ Trapezoidal Table Top

1600 x 800	TT16-8SCL	TT16-8CCL	TTT16-8SF	TTT16-8CF	TT16-8WF	TT16-8AHB
------------	-----------	-----------	-----------	-----------	----------	-----------







- Stylish yet practical, resilient yet strong
- Quality tables created to suit any environment
- Robust but stylish executive tables adding a graceful addition to any boardroom environment, particularly when combined with smart leather seating and matching executive storage units completing the look
- With a range of table shapes, frames and sizes the choices are endless
- Please contact us for information regarding our boardroom table range





- A reception is the first image portrayed and should create a positive statement with staff and visitors alike
- Designed to be welcoming yet conveying a feel of business efficiency, the perfect reception should reflect the business that it is representing
- From a complete reception suite to a single desk, creating that impression has never been easier
- Reception options include natural woodgrains, designer laminates, vibrant or muted fabrics, aluminium detailing, glass counters and personalised company logos



## ■ Space Planning and 3D Visualisation

As part of the standard package, Unique Office Solutions employ expert CAD designers, ensuring that your office redesign project gets the professional touch.

Using state of the art technology, we will digitally design your office for you, and ensure that your office furniture is arranged to optimise your floor space.

We can produce high quality 3D renderings providing a unique view and insight to your new office, reception or communal spaces. We have found over the years this becomes a power tool in the understanding of new ideas and concepts where large teams are involved.

Once we've designed your office, we will also install it, so you know everything's where it should be, when it should be.



# UNIQUE


office solutions



call us on **020 8500 2121** or click [www.unique-group.com](http://www.unique-group.com) or email: [sales@unique-group.co.uk](mailto:sales@unique-group.co.uk)

# UNIQUE

office solutions



Unique Office Solutions Ltd

Solutions House 56-58 Peregrine Road Hainault Ilford Essex IG6 3SZ

tel: 020 8500 2121

fax: 020 8500 2266

[www.unique-group.com](http://www.unique-group.com)

email: [sales@unique-group.co.uk](mailto:sales@unique-group.co.uk)